



## Short title: The anaesthesia record BP

### 1. Introduction

The anaesthesia record is designed to be a comprehensive document depicting any patient's management throughout their perioperative journey.<sup>1</sup> As such it is a critical document that serves numerous purposes beyond its primary purpose to record the clinical management. It is used to guide management, including future care, for education, research, medicolegal, and departmental administration.<sup>2,3</sup>

The accompanying guideline is intended to:

- Promote best practice by defining the standards.
- Guide the development, design, storage, and security of records.
- Guide practitioners who provide anaesthesia services in documenting and recording relevant perioperative management.

### 2. Background

Since PG06(A) was last reviewed in 2006, there have been significant developments in technology as well as regulatory and jurisdictional demands that warranted a review of the anaesthesia record.

There has been a progressive increase in the development and adoption of digital records comprising either fully automated computerised charts or hybrid digital/manual charts.<sup>4</sup> In either case, it must be ensured that records capture critical and relevant information and that there is consistency, irrespective of the nature of capturing data.

While there are perceived barriers to automation of the record by anaesthesia staff,<sup>5,6</sup> including medicolegal concerns,<sup>7</sup> and they are subject to abuse through misuse of data and data breaches, automated records are more accurate.<sup>8</sup>

### 3. Discussion

- 3.1 The title of PG06(A) has been changed from "Recommendations" to "Guideline" as a result of the re-classification of ANZCA professional documents in 2010. The review process has followed that designated in *CP24(G) Policy for the development and review of professional documents*.
- 3.2 Since 2010, all new professional documents and all subsequently reviewed documents must be accompanied by a background paper.
- 3.3 It was decided that the purpose of the document should be identified and listed at the beginning. The scope has also been defined, as well as terms used within the guideline.

Anaesthesia is defined to include general anaesthesia, sedation, and regional analgesia/anaesthesia. It is recognised that sedation is provided by a range of practitioners, and

that ANZCA has no mandate over practitioners from other colleges, however, the accompanying guideline should serve as a standard for recording all forms of anaesthesia.

For reasons of clarity, the term anaesthetist has been defined so as to differentiate practitioners who provide sedation services, termed “anaesthesia providers”, from those whose scope of practice includes general and regional anaesthesia. The latter includes medical practitioners registered as specialists in anaesthesia with either the Medical Board of Australia, or the Medical Council of New Zealand, trainees of ANZCA, specialist international medical graduates, and general practitioners/rural generalists with recognised training in anaesthesia.

- 3.4 The diverse roles of the anaesthesia record were explored<sup>9,10,11,12</sup> so that the needs of the record could be identified and prioritised. In addition, the spectrum of healthcare facilities and services provided were considered in the recommendations made, on the understanding that over and above the basic essential information for all records, there will be varying needs depending on many factors - in particular the size of the unit (quaternary units to small stand-alone facilities), the caseload (complex major cases to rapid turnover minor cases) and, most importantly, patient factors (comorbidities, past anaesthesia and medical history and so on).
- 3.5 General principles were identified including the need for efficient and purposeful data collection; ready access as and when required either internally or externally; acceptability of digital signatures; and facilitation of data coding.

The benefits of incorporating Clinical Decision Support<sup>12,13,14</sup> technology into electronic records includes the ability to facilitate the primary role of guiding clinical management. The importance of this function is acknowledged and recommended for consideration when developing such records.

Ideally, the design of records should be such that data is captured accurately and free of errors, and collection of information addresses the perceived barriers to computerised documentation.

- 3.6 Contents of the record have been listed in a manner that should facilitate design of records and data collection. With reference to digital records attention should be paid to ensure that data entry/capture is not intrusive and does not distract from patient care, particularly during induction of anaesthesia and emergence from anaesthesia.
- 3.6.1 The issue of including consent as part of the anaesthesia record was discussed. It was agreed that documentation of consent should be included and that *PS26(A) Position statement on informed consent for anaesthesia or sedation* be consulted for the process of consent.

## 4. Summary

The guideline in the accompanying professional document has been reviewed taking into consideration the technological changes since 2006, the changing medicolegal and regulatory environment, and the need to continually improve standards of clinical practice and patient care.

## Document development

The oversight committee for the review of PG06(A) was the ANZCA Safety and Quality Committee (SQC). The document development group (DDG) members were:

Dr Antonio Grossi, Vic.

Dr Kerry Gunn, NZ.

Dr Peter Roessler, Vic.

Associate Professor David M Scott, NSW.

Associate Professor Michael Steyn, Qld.

## Related ANZCA documents

PS04(A) Position statement on the post-anaesthesia care unit

PG07(A) Guideline on pre-anaesthesia consultation and patient preparation

PG18(A) Guideline on monitoring during anaesthesia

PS19(A) Position statement on monitored care by an anaesthetist

PS26(A) Position statement on informed consent for anaesthesia or sedation

## References

1. Dickinson P, Berrington J. Anaesthetic records. *Anaesth Intensive Care Med.* 2014 Feb;15(2):56-8.
2. Motamed C, Bourgain JL. An anaesthesia information management system as a tool for a quality assurance program: 10 years of experience; *Anaesth Crit Care Pain Med.* 2016 Jun;35(3):191-5.
3. Sessler DI. Big Data – and its contributions to peri-operative medicine. (Editorial) *Anaesthesia.* 2014 Feb;69(2):100-5.
4. Mathiszig-Lee J. The end of paper anaesthetic charts? *Anaesthesia.* 2016 Jul;71(7):849-50.
5. Roessler P, Brenton MW, Lambert TF. Problems with automating anaesthetic records. *Anaesth Intensive Care.* 1986 Nov;14(4):443-7.
6. Wacker J, Steurer J, Manser T, Leisinger E, Stocker R, Mols G. Perceived barriers to computerised quality documentation during anaesthesia: a survey of anaesthesia staff. *BMC Anesthesiol.* 2015 Jan 31;15:13.
7. Curtis WB, Sethi R, Visvanathan T, Sethi S. Peri-operative anaesthetic documentation: A report of three sequential audits on the quality of outcomes, with an insight into surrounding legal issues. *Turk J Anaesthesiol Reanim.* 2018 Sep;46(5):354-61.
8. Anderson BJ, Merry AF. Paperless anesthesia: uses and abuses of these data. *Paediatr Anaesth.* 2015 Dec;25(12):1184-92.

9. Bowdle TA, Jelacic S, Nair B, Togashi K, Caine K, Bussey L, et al. Facilitated self-reported anaesthetic medication errors before and after implementation of a safety bundle and barcode-based safety system. *Br J Anaesth*. 2018 Dec;121(6):1338-45.
10. Gálvez JA, Rothman BS, Doyle CA, Morgan S, Simpao AF, Rehman MA. A narrative review of meaningful use and anesthesia information management systems. *Anesth Analg*. 2015 Sep;121(3):693-706.
11. Wax DB, McCormick PJ, Joseph TT, Levin MA. An automated critical event screening and notification system to facilitate preanesthesia record review. *Anesth Analg*. 2018 Feb;126(2):606-10.
12. Nair BG, Gabel E, Hofer I, Schwid HA, Cannesson M. Intraoperative clinical decision support for anaesthesia: A narrative review of available systems. *Anaesth Analg*. 2017 Feb;124(2):603-17.
13. Simpao AF, Tan JM, Lingappan AM, Gálvez JA, Morgan SE, Krall MA. A systematic review of near real-time and point-of-care clinical decision support in anesthesia information management systems. *J Clin Monit Comput*. 2017 Oct;31(5):885-894.
14. Chau A, Ehrenfield JM. Using real time clinical decisions support to improve performance on perioperative quality and process measures. *Anaesthesiol Clin*. 2011 Mar;29(1):57-69.

### Further reading

Checketts MR, Alladi R, Ferguson K, Gemmell L, Handy JM, Klein AA, et al. Recommendations for standards of monitoring during anaesthesia and recovery 2015: Association of Anaesthetists of Great Britain and Ireland. *Anaesthesia*. 2016 Jan;71(1):85-93.

Webster CS, Merry AF. Forcing functions and their consequences. *Anaesthesia*. 2017 Feb;72(2):266-67.

White SM. Automated electronic anaesthesia records. *Anaesthesia*. 2016 Jul;71(7):850-1.

Yeoh C, Mascarenhas J, Tan KS, Tollinche L. Automated notifications improve time to anesthesia induction: Integrating health information technology systems to enhance perioperative efficiency. *Anaesth Analg*. 2018 Dec;2(2).

*Professional documents of the Australian and New Zealand College of Anaesthetists (ANZCA) are intended to apply wherever anaesthesia is administered and perioperative medicine practised within Australia and New Zealand. It is the responsibility of each practitioner to have express regard to the particular circumstances of each case, and the application of these ANZCA documents in each case. It is recognised that there may be exceptional situations (for example, some emergencies) in which the interests of patients override the requirement for compliance with some or all of these ANZCA documents. Each document is prepared in the context of the entire body of the college's professional documents, and should be interpreted in this way.*

*ANZCA professional documents are reviewed from time to time, and it is the responsibility of each practitioner to ensure that he or she has obtained the current version which is available from the college website ([www.anzca.edu.au](http://www.anzca.edu.au)). The professional documents have been prepared having regard to the information available at the time of their preparation, and practitioners should therefore take into account any information that may have been published or has become available subsequently.*

*Whilst ANZCA endeavours to ensure that its professional documents are as current as possible at the time of their preparation, it takes no responsibility for matters arising from changed circumstances or information or material which may have become available subsequently.*

Promulgated: 2020  
Current document: Nov 2020

© Copyright 2020 – Australian and New Zealand College of Anaesthetists. All rights reserved.

*This work is copyright. Apart from any use as permitted under the Copyright Act 1968, no part may be reproduced by any process without prior written permission from ANZCA. Requests and inquiries concerning reproduction and rights should be addressed to the Chief Executive Officer, Australian and New Zealand College of Anaesthetists, 630 St Kilda Road, Melbourne, Victoria 3004, Australia. Email: [ceo@anzca.edu.au](mailto:ceo@anzca.edu.au)*

ANZCA website: [www.anzca.edu.au](http://www.anzca.edu.au)